

American Bass

"Excellence In Sound"

440 248 5858

www.americanbassusa.com

**1605 Enterprise Parkway, Twinsburg, Ohio 44087
USA**

Congratulations!thank you for choosing American Bass speakers.We are proud to introduce these exciting new lines of outstanding performance products.Our engineering team utilizes innovative technology to bring you the absolute best performance,sound quality, reliability,and value

TITAN SERIES SUBWOOFER

Features:

White powder finish heavy-duty stamped basket

With perimeter vents for better voice coil cooling:


Pressed paper cone;

3-layer foam surround;

Hi-temp 4ohm 4-layer voice coil with Nomex protection;

Mirror image double Conex spider system;

Triple stacked hi-energy magnets;



Model	A	B	C	D
TITAN-1244-V.2	315mm/12.5"	200mm/7.87"	285mm/11.22"	105mm/4.13"

Technical Data/Specification

Model	TITAN-1244-V.2
Voice Coil Diameter(mm/inch)	69.7/2.75
Impedance Ohm	Dual 4
Re Ohm	3.2+3.2
FS Hz	33.66
Sd	490
Md g	200
BL	20
Qms	5.18
Qes	0.9
Qts	0.77
No	0.11
SPL dB	82.6
Vas L	28.39
Cms	82.99
Krm	34.31
Erm	0.76
MMS g	269
MMd	256
Kxm	196
Exm	0.59
Xmax(mm/inch)	16.5/0.64
Rms Power(Watts)	1400
Max Power(Watts)	2800

Warranty

All American Bass speaker are guaranteed to be free and void of defects due to manufacturer's faults for 1 year from date of purchase. All claims must be made at the place of purchase, and accompanied with the sales receipt.

WARNING: American Bass speaker are capable of producing sound levels that can permanently damage your hearing! turning up a system to a level that has audible distortion is more damaging to your ears than listening to an un-distorted system at the same volume level. The threshold of pain is indicator that the sound level is too loud and may damage your hearing. Please use common sense when controlling volume.